

SAFETY DATA SHEET

1. Identification

Product identifier HYCUT ET 6

Other means of identification

Article-No. 40701010

Recommended use HYCUT Straight oil. Industrial use.

Recommended restrictions None known.

Manufacturer/Supplier

Oemeta, Inc.

5655 West 610 South Salt Lake City, UT 84104 Phone: (+1) 801 953-0134 Fax: (+1) 801 953-0446

Further information obtainable from

Oemeta Service

Phone: (+49) 4122-924-132 Fax: (+49) 4122-924-157

Emergency Telephone

Number

Toll Free Access within USA, Canada, Mexico: 1.866.519.4752 (24h)

Outside of the US please call: (+1) 760 476 3962 (24h)

Please provide the following code: 333910

2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%	
2-(2-butoxyethoxy)ethanol		112-34-5	5 - < 10	

Material name: HYCUT ET 6 sps us



Chemical name	Common name and synonyms	CAS number	%
Alcohols, C16-18 and C18-unsatd., ethoxylated		68920-66-1	1 - < 5
Other components below reportable levels			80 - < 90

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur. Most important Direct contact with eyes may cause temporary irritation.

Treat symptomatically.

symptoms/effects, acute and delayed

Indication of immediate

medical attention and special treatment needed

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Hazardous combustion

products

Combustion products may include the following: Carbon oxides (CO, CO2).

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting

equipment/instructions

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

Move containers from fire area if you can do so without risk.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Environmental precautions

7. Handling and storage

Avoid prolonged exposure. Observe good industrial hygiene practices.

Precautions for safe handling Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

SDS). Recommended storage temperature: between 10 and 30 °C.

Material name: HYCUT ET 6 SDS US



8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. ACGIH Threshold Limit Values

Form Components Value **Type** 2-(2-butoxyethoxy)ethanol **TWA** 10 ppm Inhalable fraction and (CAS 112-34-5) vapor.

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection

Wear appropriate chemical resistant gloves. Recommendation: 740 Lapren (KCL, Germany) with a layer thickness of at least 0.1 mm. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Other Do not get this material in contact with skin.

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Liquid. Physical state Light yellow. Color Odor Characteristic. Odor threshold Not available. 6 - 8 ASTM D 1287 Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

305.6 °F (152.0 °C) COC Cleveland Open Cup Flash point

Evaporation rate Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Not available.

Not available.

(%)

Vapor density

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Not available. Vapor pressure

Material name: HYCUT ET 6



Not available. Relative density

Completely miscible. Solubility (water)

Partition coefficient

Not available.

(n-octanol/water)

Auto-ignition temperature Not available. Not available. **Decomposition temperature Viscosity** Not available.

Other information

875.00 - 905.00 kg/m3 ASTM D 1298 **Density**

Explosive properties Not explosive.

5.4 - 6.6 mm²/s DIN EN 16896 (104 °F (40 °C)) Kinematic viscosity

Oxidizing properties Not oxidizing.

21.2 °F (-6 °C) DIN 51597 Pour point

77 g/I ASTM E 1868-10 (104 °F (40 °C)) VOC (concentrate)

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions. Conditions to avoid Contact with incompatible materials.

Incompatible materials Not available.

Hazardous decomposition

products

No hazardous decomposition products are known.

Possibility of hazardous No dangerous reaction known under conditions of normal use.

reactions

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Based on available data, the classification criteria are not met. Eve contact Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity May cause respiratory irritation. Not known.

Components **Test Results**

2-(2-butoxyethoxy)ethanol (CAS 112-34-5)

Acute **Dermal** Liquid

LD50

Rabbit 2764 mg/kg

Inhalation

Vapor

LC50 Rat > 29 mg/l, 2 hours

Oral

Liquid

LD50 Mouse 2410 mg/kg

Material name: HYCUT ET 6



Components Species Test Results

Rat 3305 mg/kg

Alcohols, C16-18 and C18-unsatd., ethoxylated (CAS 68920-66-1)

Acute
Dermal
Liquid

LD50 Rabbit > 2000 mg/kg

Inhalation

Mist

LC50 Rat > 1.6 mg/l

Oral Liquid

LD50 Rat > 2000 mg/kg

Skin corrosion/irritation
Serious eye damage/eye

Prolonged skin contact may cause temporary irritation.

Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity Not available.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.



14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulationsThis product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

All components are identified as active on the U.S. EPA TSCA Inventory List.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

ct

(SDWA)

Not regulated.

Not regulated.

Administration (FDA)

US state regulations

Food and Drug

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

16. Other information, including date of preparation or last revision

 Issue date
 05-11-2015

 Revision date
 01-05-2022

Version # 4.0
HMIS® ratings Health: 0

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 0

Flammability: 1 Instability: 0

Material name: HYCUT ET 6 sps us



NFPA ratings



Disclaimer The information in the sheet was written based on the best knowledge and experience currently

available. The editor cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product,

and to assume liability for loss, injury, damage or expense due to improper use.

Revision information Product and Company Identification: Alternate Trade Names

Identification: Product use

Hazard(s) identification: Supplemental information

Handling and storage: Specific uses

Physical & Chemical Properties: Multiple Properties

Other information, including date of preparation or last revision: Ratings of aqueous dilution

Approved. TR05012022

Material name: HYCUT ET 6 SDS US