

SAFETY DATA SHEET

1. Identification

Product identifier HYCUT SW 68

Other means of identification

Article-No. 40701210

Recommended use HYCUT Slideway oil. Industrial use.

Recommended restrictions

Manufacturer/Supplier

Oemeta, Inc.

None known.

5655 West 610 South Salt Lake City, UT 84104 Phone: (+1) 801 953-0134 Fax: (+1) 801 953-0446

Further information obtainable from

Oemeta Service

Phone: (+49) 4122-924-132 Fax: (+49) 4122-924-157

Emergency Telephone

Number

Toll Free Access within USA, Canada, Mexico: 1.866.519.4752 (24h)

Outside of the US please call: (+1) 760 476 3962 (24h)

Please provide the following code: 333910

2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Alcohols, C16-18 and C18-unsatd., ethoxylated		68920-66-1	5 - < 10

Material name: HYCUT SW 68 SDS US



Chemical name	Common name and synonyms	CAS number	%
1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-ar-methyl-		94270-86-7	0.1 - < 1
Other components below reportable levels			90 - < 100

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur. Most important Direct contact with eyes may cause temporary irritation.

protect themselves.

symptoms/effects, acute and

delayed

Treat symptomatically.

Indication of immediate medical attention and special treatment needed

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire. media

Specific hazards arising from During fire, gases hazardous to health may be formed. the chemical

Hazardous combustion Combustion products may include the following: Carbon oxides (CO, CO2).

products Special protective equipment Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters Fire-fighting Move containers from fire area if you can do so without risk. equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods

6. Accidental release measures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Environmental precautions 7. Handling and storage

Precautions for safe handling Observe good industrial hygiene practices.

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the Conditions for safe storage, SDS). Recommended storage temperature: between 10 and 30 °C. including any incompatibilities

Material name: HYCUT SW 68 SDS US



8. Exposure controls/personal protection

Occupational exposure limits

This mixture has no ingredients that have PEL, TLV, or other recommended exposure limit.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear chemical goggles.

Skin protection

Wear appropriate chemical resistant gloves. Recommendation: 706 Lapren (KCL, Germany) with a **Hand protection**

layer thickness of at least 0.6 mm. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be

calculated in advance and has therefore to be checked prior to the application.

Other Wear suitable protective clothing.

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Physical state Liquid. Color Amber.

Odor Characteristic. **Odor threshold** Not available. Not available. Melting point/freezing point Not available. Not available. Initial boiling point and boiling

range

Flash point 482.0 °F (250.0 °C) COC Cleveland Open Cup

Not available. **Evaporation rate** Not applicable. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. Not available. Vapor pressure Vapor density Not available. Not available. Relative density

Completely miscible. Solubility (water)

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperature Not available. **Decomposition temperature** Not available.

Material name: HYCUT SW 68



Viscosity Not available.

Other information

Density 920.00 - 950.00 kg/m3 ASTM D 1298

Not explosive. **Explosive properties**

60 - 75 mm²/s DIN EN 16896 (104 °F (40 °C)) Kinematic viscosity

Oxidizing properties Not oxidizing.

Pour point 15.8 °F (-9 °C) DIN 51597

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions.

Conditions to avoid Contact with incompatible materials.

Strong oxidizing agents. Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

11. Toxicological information

Information on likely routes of exposure

Inhalation Based on available data, the classification criteria are not met. Skin contact Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Eye contact Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not known.

Test Results Components **Species**

1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-ar-methyl- (CAS 94270-86-7)

Acute Oral

Liquid

LD50 Rat 3313 mg/kg

Alcohols, C16-18 and C18-unsatd., ethoxylated (CAS 68920-66-1)

Acute Dermal

Liquid

LD50 Rabbit > 2000 mg/kg

Inhalation

Mist

LC50 Rat > 1.6 mg/l

Oral Liquid

LD50 Rat > 2000 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Material name: HYCUT SW 68 SDS US



Serious eye damage/eye

irritation

Direct contact with eves may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

12. Ecological information

Ecotoxicity Not available.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not established.

the IBC Code

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

Material name: HYCUT SW 68 SDS US

40701210 Version #: 5.0 Revision date: 01-03-2022 Issue date: 05-11-2015



Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Food and Drug

Not regulated.

Administration (FDA)

US state regulations

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

16. Other information, including date of preparation or last revision

Issue date 05-11-2015 **Revision date** 01-03-2022

Version # 5.0

HMIS® ratings Health: 0

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 0

Flammability: 1 Instability: 0

NFPA ratings



Disclaimer The information in the sheet was written based on the best knowledge and experience currently

available. The editor cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product,

and to assume liability for loss, injury, damage or expense due to improper use.

Revision information This document has undergone significant changes and should be reviewed in its entirety.

Approved. TR04012021

Material name: HYCUT SW 68 SDS US