

SAFETY DATA SHEET

1. Identification

Product identifier NOVAMET 900

Other means of identification

Article-No. 40878110

Recommended use Water-miscible metal working fluid. Industrial use.

Recommended restrictions None known.

Manufacturer/Supplier

Oemeta, Inc.

5655 West 610 South Salt Lake City, UT 84104 Phone: (+1) 801 953-0134 Fax: (+1) 801 953-0446

Further information obtainable from

Oemeta Service

Phone: (+49) 4122-924-132 Fax: (+49) 4122-924-157

Emergency Telephone

Number

Toll Free Access within USA, Canada, Mexico: 1.866.519.4752 (24h)

Outside of the US please call: (+1) 760 476 3962 (24h)

Please provide the following code: 333910

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Sensitization, skin Category 1

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement May cause an allergic skin reaction.

Precautionary statement

Prevention Avoid breathing mist/vapors. Contaminated work clothing must not be allowed out of the

workplace. Wear protective gloves.

Response If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Not classified as hazardous according to GHS when diluted to 20% or less.

Material name: NOVAMET 900 SDS US



3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Distillates, petroleum, hydrotreated light naphthenic		64742-53-6	30 - < 40
2-phenoxyethanol		122-99-6	1 - < 5
Alcohols, C16-18 and C18-unsatd., ethoxylated		68920-66-1	1 - < 5
Ethanol, 2,2'-(methylimino)bis-		105-59-9	1 - < 5
Formaldehyde, reaction products with ethylene glycol		1609949-54-3	1 - < 5
Sulfonic acids, petroleum, sodium salts		68608-26-4	1 - < 5
2-n-butyl-benzo[d]isothiazol-3-one		4299-07-4	0.1 - < 1
Other components below reportable le	evels		50 - < 60

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Symptoms may be delayed.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

IngestionRinse mouth. Get medical attention if symptoms occur.Most importantMay cause an allergic skin reaction. Dermatitis. Rash.

symptoms/effects, acute and delayed

Indication of immediate

medical attention and special treatment needed

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

5. Fire-fighting measures

Suitable extinguishing media

Specific hazards arising from

Unsuitable extinguishing

media

During fire, gases hazardous to health may be formed.

Hazardous combustion

products

the chemical

Combustion products may include the following: carbon oxides (CO, CO2); nitrogen oxides (NO,

NO2); sulfur oxides (SO2, SO3).
Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special protective equipment and precautions for firefighters

Fire-fighting equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: NOVAMET 900 SDS US



Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged

exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe

Value

Form

good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Recommended storage temperature: between 10 and 30 °C.

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form	
Distillates, petroleum, hydrotreated light naphthenic (CAS 64742-53-6)	PEL	5 mg/m3	Mist.	

US. ACGIH Threshold Limit Values

Components	туре	value	1 01111
Distillates, petroleum,	TWA	5 mg/m3	Inhalable fraction.
budratraatad light			

hydrotreated light naphthenic (CAS 64742-53-6)

Components

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value	Form	
Distillates, petroleum, hydrotreated light naphthenic (CAS 64742-53-6)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Face shield is recommended.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Recommendation: 706 Lapren (KCL, Germany) with a layer thickness of at least 0.6 mm. The selection of the suitable gloves does not only depend on

layer thickness of at least 0.6 mm. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

calculated in advance and has therefore to be checked phor to the application.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Material name: NOVAMET 900 SDS US



Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Physical state Liquid.
Color Amber.

Odor Characteristic.

Odor threshold Not available.

pH 9 - 10 DIN 51369

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point

Evaporation rate

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Explosive limit - lower (%)

Explosive limit - upper (%)

Not available.

Vapor pressure

Vapor density

Relative density

Solubility (water)

Partition coefficient

Not available.

Not available.

Not available.

Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Density 970.00 - 1000.00 kg/m³ DIN 51757

Explosive properties Not explosive.

Kinematic viscosity 30 - 50 mm²/s DIN EN 16896 (104 °F (40 °C))

Oxidizing properties Not oxidizing.

VOC (concentrate) 109 g/I ASTM E1868-10

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

No hazardous decomposition products are known.

products

Possibility of hazardous No dangerous reaction known under conditions of normal use.

reactions

Material name: NOVAMET 900 sps us



11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful. Skin contact May cause an allergic skin reaction.

Eve contact Based on available data, the classification criteria are not met. Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Not known. **Acute toxicity**

Test Results Components **Species**

2-n-butyl-benzo[d]isothiazol-3-one (CAS 4299-07-4)

Acute **Dermal**

Liquid

LD50 Rat > 2000 mg/kg

Oral Liquid

4267 - 4732 mg/kg LD50 Rat

2-phenoxyethanol (CAS 122-99-6)

Acute

Dermal

Liquid

LD50 Rabbit > 5000 mg/kg

Inhalation

Mist

Rat LC50

> 1 mg/l, 6 hours

Oral

Liquid

LD50 Rat 1850 mg/kg

Alcohols, C16-18 and C18-unsatd., ethoxylated (CAS 68920-66-1)

Acute

Dermal

Liquid

LD50 Rabbit > 2000 mg/kg

Inhalation

Mist

LC50 Rat > 1.6 mg/l

Oral

Liquid

LD50 Rat > 2000 mg/kg

Material name: NOVAMET 900 SDS US



Components Species Test Results

Distillates, petroleum, hydrotreated light naphthenic (CAS 64742-53-6)

<u>Acute</u>

Dermal

Liquid

LD50 Rabbit > 5000 mg/kg

Inhalation

Mist

LC50 Rat > 5.53 mg/l, 4 hours Saturated Vapor

Concentration

Oral

Liquid

LD50 Rat > 5000 mg/kg

Ethanol, 2,2'-(methylimino)bis- (CAS 105-59-9)

Acute

Dermal

Liquid

LD50 Rabbit 5990 mg/kg

Oral

Liquid

LD50 Rat 4680 mg/kg

Formaldehyde, reaction products with ethylene glycol (CAS 1609949-54-3)

Acute

Dermal

Liquid

LD50 Rat > 2000 mg/kg

Oral

Liquid

LD50 Rat 760 mg/kg

Sulfonic acids, petroleum, sodium salts (CAS 68608-26-4)

<u>Acute</u>

Dermal

Liquid

LD50 Rabbit > 2000 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye irritation

Direct contact with eyes may cause temporary irritation. (OECD 405, Rabbit)

Corneal opacity value 0.0000
Iris lesion value 0.0000

Conjunctival reddening

value

1.0000

Conjunctival oedema value 0.3000 Recover days 4

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.



Not classifiable as to carcinogenicity to humans. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Prolonged inhalation may be harmful. **Chronic effects**

12. Ecological information

Ecotoxicity Not available.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of **Disposal instructions**

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and Not established.

the IBC Code

15. Regulatory information

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication **US federal regulations**

Standard, 29 CFR 1910,1200.

All components are identified as active on the U.S. EPA TSCA Inventory List.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Material name: NOVAMET 900 SDS US



SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Food and Drug Not regulated.

Administration (FDA)

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

2-phenoxyethanol (CAS 122-99-6)

Distillates, petroleum, hydrotreated light naphthenic (CAS 64742-53-6)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

16. Other information, including date of preparation or last revision

 Issue date
 05-03-2015

 Revision date
 02-23-2023

Version # 6.0

Further information This Safety Data Sheet has been prepared in accordance with the provisions of the "Regulation on

Safety Data Sheets of Harmful Substances and Mixtures of the Ministry of Environment and

Urbanization" dated 13 December 2014 and numbered 29204.

HMIS® ratings Health: 1

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 1 Instability: 0

NFPA ratings



Ratings of aqueous dilution HMIS® ratings when diluted to 20% or less: Health: 0, Flammability: 0, Physical Hazard: 0.

NFPA ratings when diluted to 20% or less: Health: 0, Flammability: 0, Instability: 0.

List of abbreviations AICIS: Australian Inventory of Industrial Chemicals.

Disclaimer The information in the sheet was written based on the best knowledge and experience currently

available. The editor cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product,

and to assume liability for loss, injury, damage or expense due to improper use.

Material name: NOVAMET 900 SDS US



Revision information

Hazard(s) identification: Supplemental information Composition / Information on Ingredients: After Reaction Composition

Physical and chemical properties: Odor Regulatory information: US TSCA

Other information, including date of preparation or last revision: Further information Other information, including date of preparation or last revision: Surplus

Approved. TR23022023

Material name: NOVAMET 900 SDS US